

10/069061

PCT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
REQUEST FOR FILING NATIONAL PHASE OF
PCT APPLICATION UNDER 35 U.S.C. 371 AND 37 CFR 1.494 OR 1.495

To: Hon. Commissioner of Patents
Washington, D.C. 20231



00909

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)

Atty Dkt: P 290585 /SET9901PCT/US
M# /Client Ref.

From: Pillsbury Winthrop LLP, IP Group:

Date: February 21, 2002

This is a **REQUEST** for **FILING** a PCT/USA National Phase Application based on:

- | | | | | | | | | | | | | | | |
|---|--|-------------|-------------|-------------|-----|-------|------|--|-----------|---------------|-------------|-----|-------|------|
| 1. International Application

<u>PCT/EP00/07380</u>
↑ country code | 2. International Filing Date

<table border="0"> <tr> <td><u>31</u></td> <td><u>July</u></td> <td><u>2000</u></td> </tr> <tr> <td>Day</td> <td>MONTH</td> <td>Year</td> </tr> </table> | <u>31</u> | <u>July</u> | <u>2000</u> | Day | MONTH | Year | 3. Earliest Priority Date Claimed

<table border="0"> <tr> <td><u>21</u></td> <td><u>August</u></td> <td><u>1999</u></td> </tr> <tr> <td>Day</td> <td>MONTH</td> <td>Year</td> </tr> </table>
(use item 2 if no earlier priority) | <u>21</u> | <u>August</u> | <u>1999</u> | Day | MONTH | Year |
| <u>31</u> | <u>July</u> | <u>2000</u> | | | | | | | | | | | | |
| Day | MONTH | Year | | | | | | | | | | | | |
| <u>21</u> | <u>August</u> | <u>1999</u> | | | | | | | | | | | | |
| Day | MONTH | Year | | | | | | | | | | | | |

4. Measured from the earliest priority date in item 3, this PCT/USA National Phase Application Request is being filed within:

(a) ☐ 20 months from above item 3 date (b) ☒ 30 months from above item 3 date,

(c) Therefore, the due date (unextendable) is February 21, 2002

5. Title of Invention PROCESS AND APPARATUS FOR INSULATING ELECTRICAL COMPONENTS

6. Inventor(s) Rainer BLUM
Manfred EICHORST
Günther HEGEMANN
Klaus-Wilhelm LIENERT

Applicant herewith submits the following under 35 U.S.C. 371 to effect filing:

7. ☒ Please immediately start national examination procedures (35 U.S.C. 371 (f)).

8. ☐ A copy of the International Application as filed (35 U.S.C. 371(c)(2)) is transmitted herewith (file if in English but, if in foreign language, file only if not transmitted to PTO by the International Bureau) including:

- a. ☐ Request;
b. ☐ Abstract;
c. pgs. Spec. and Claims;
d. sheet(s) Drawing which are ☐ informal ☐ formal of size ☐ A4 ☐ 11"

9. ☒ A copy of the International Application has been transmitted by the International Bureau.

10. A translation of the International Application into English (35 U.S.C. 371(c)(2))

- a. ☒ is transmitted herewith including: (1) ☐ Request; (2) ☒ Abstract;
(3) 15 pgs. Spec. and Claims;
(4) sheet(s) Drawing which are:
☐ informal ☐ formal of size ☐ A4 ☐ 11"
- b. ☐ is not required, as the application was filed in English.
c. ☐ is not herewith, but will be filed when required by the forthcoming PTO Missing Requirements Notice per Rule 494(c) if box 4(a) is X'd or Rule 495(c) if box 4(b) is X'd.
d. ☐ Translation verification attached (not required now).

RE: USA National Phase Filing of PCT /EP00/07380

11. ☒ Please see the attached Preliminary Amendment
12. ☐ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)), i.e., before 18th month from first priority date above in item 3, are transmitted herewith (file only if in English) including:
13. ☒ PCT Article 19 claim amendments (if any) have been transmitted by the International Bureau
14. ☐ Translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)), i.e., of claim amendments made before 18th month, is attached (required by 20th month from the date in item 3 if box 4(a) above is X'd, or 30th month if box 4(b) is X'd, or else amendments will be considered canceled).
15. **A declaration of the inventor (35 U.S.C. 371(c)(4))**
a. ☐ is submitted herewith ☐ Original ☐ Facsimile/Copy
b. ☒ is not herewith, but will be filed when required by the forthcoming PTO Missing Requirements Notice per Rule 494(c) if box 4(a) is X'd or Rule 495(c) if box 4(b) is X'd.
16. **An International Search Report (ISR):**
a. Was prepared by ☒ European Patent Office ☐ Japanese Patent Office ☐ Other
b. ☒ has been transmitted by the international Bureau to PTO.
c. ☐ copy herewith (___ pg(s).) ☐ plus Annex of family members (___ pg(s).)
17. **International Preliminary Examination Report (IPER):**
a. ☒ has been transmitted (if this letter is filed after 28 months from date in item 3) in English by the International Bureau with Annexes (if any) in original language.
b. ☐ copy herewith in English.
c.1 ☐ IPER Annex(es) in original language ("Annexes" are amendments made to claims/spec/drawings during Examination) including attached amended:
c.2 ☐ Specification/claim pages #___ claims #
Dwg Sheets #
d. ☐ Translation of Annex(es) to IPER (required by 30th month due date, or else annexed amendments will be considered canceled).
18. **Information Disclosure Statement** including:
a. ☒ Attached Form PTO-1449 listing documents
b. ☒ Attached copies of documents listed on Form PTO-1449
c. ☒ A concise explanation of relevance of ISR references is given in the ISR.
19. ☐ **Assignment** document and Cover Sheet for recording are attached. Please mail the recorded assignment document back to the person whose signature, name and address appear at the end of this letter.
20. ☐ Copy of Power to IA agent.
21. ☐ **Drawings** (complete only if 8d or 10a(4) not completed): ___ sheet(s) per set: ☐ 1 set informal; ☐ Formal of size ☐ A4 ☐ 11"
22. Small Entity Status ☒ is **Not** claimed ☐ is claimed (pre-filing confirmation required)
22(a) ___ (No.) Small Entity Statement(s) enclosed (since 9/8/00 Small Entity Statements(s) not essential to make claim)
23. **Priority** is hereby claimed under 35 U.S.C. 119/365 based on the priority claim and the certified copy, both filed in the International Application during the international stage based on the filing in (country) Germany of:
- | | <u>Application No.</u> | <u>Filing Date</u> | | <u>Application No.</u> | <u>Filing Date</u> |
|-----|------------------------|--------------------|-----|------------------------|--------------------|
| (1) | 19939760.0 | August 21, 1999 | (2) | | |
| (3) | | | (4) | | |
| (5) | | | (6) | | |
- a. ☒ See Form PCT/IB/304 sent to US/DO with copy of priority documents. If copy has not been received, please proceed promptly to obtain same from the IB.
b. ☐ Copy of Form PCT/IB/304 attached.

RE: USA National Phase Filing of PCT/EP00/07380

JC13 Rec'd PCT/PTO 21 FEB 2002

24. Attached:

25 Per Item 17.c2, **cancel original** pages #__, claims #__, Drawing Sheets #

26. **Calculation of the U.S. National Fee (35 U.S.C. 371 (c)(1)) and other fees is as follows:**

Based on amended claim(s) per above item(s) ☐ 12, ☐ 14, ☐ 17, ☐ 25 (hilitte)

Total Effective Claims	14	minus 20 =	0	x \$18/\$9	=	\$0	966/967
Independent Claims	2	minus 3 =	0	x \$84/\$42	=	\$0	964/965
If any proper (ignore improper) Multiple Dependent claim is present,				add\$280/\$140	+	0	968/969

BASIC NATIONAL FEE (37 CFR 1.492(a)(1)-(4)): →→ **BASIC FEE REQUIRED, NOW** →→→→

A. If country code letters in item 1 are **not** "US", "BR", "BB", "TT", "MX", "IL", "NZ", "IN" or "ZA"

See item 16 re:

1. Search Report was <u>not prepared by EPO or JPO</u> -----	add\$1,040/\$52	0		960/961
2. Search Report was prepared by EPO or JPO -----	add\$890/\$445	+890		970/971

SKIP B, C, D AND E UNLESS country code letters in item 1 are "US", "BR", "BB", "TT", "MX", "IL", "NZ", "IN", "ZA", "LC" or "PH"

→ <input type="checkbox"/> B. If <u>USPTO</u> did not issue <u>both</u> International Search Report (ISR) <u>and</u> (if box 4(b) above is X'd) the International Examination Report (IPER), -----	add\$1,040/\$52	+0	960/961
(only) <input type="checkbox"/> C. If <u>USPTO</u> issued ISR but not IPER (or box 4(a) above is X'd), -----	add\$740/\$370	+0	958/959
(one) <input type="checkbox"/> D. If <u>USPTO</u> issued IPER but IPER Sec. V boxes <u>not all</u> 3 YES, -----	add\$710/\$355	+0	956/957
(of) <input type="checkbox"/> E. If international preliminary examination fee was paid to <u>USPTO</u> and Rules 492(a)(4) and 496(b) <u>satisfied</u> (in IPER Sec. V <u>all</u> 3 boxes <u>must</u> be YES for <u>all</u> claims), --	add \$100/\$50	+0	962/963

27. **SUBTOTAL =** \$890

28. If Assignment box 19 above is X'd, add Assignment Recording fee of ----\$40 +0 (581)

29. If box 15a is x'd, determine whether inventorship on Declaration is different than in international stage. If yes, add (per Rule 497(d)) ----\$130 +0 (098)

30. Attached is a check to cover the ----- **TOTAL FEES** \$890

Our Deposit Account No. 03-3975

Our Order No. 07376 | 290585
C# M#



00909

CHARGE STATEMENT. The Commissioner is hereby authorized to charge any fee specifically authorized hereafter, or any missing or insufficient fee(s) filed, or asserted to be filed, or which should have been filed herewith or concerning any paper filed hereafter, and which may be required under Rules 16-18 and 492 (missing or insufficient fee only) now or hereafter relative to this application and the resulting Official document under Rule 20, or credit any overpayment, to our Account/Order Nos. shown above for which purpose a duplicate copy of this sheet is attached.

This CHARGE STATEMENT does not authorize charge of the issue fee until/unless an issue fee transmittal form is filed

Pillsbury Winthrop LLP
Intellectual Property Group

By Atty: Adam R. Hess

Reg. No. 41835

Sig: Carl C. C. 48, 15

Fax: (703) 905-2500
Tel: (703) 905-2089

Atty/Sec: ARH/WDW:cdw

NOTE: File in duplicate with 2 postcard receipts (PAT-103) & attachments.

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

BLUM et al.

Group Art Unit: TBA

Application No.: TBA

Examiner: TBA

Filed: February 21, 2002

FOR: PROCESS AND APPARATUS FOR INSULATING ELECTRICAL COMPONENTS

* * * * *

February 21, 2002

PRELIMINARY AMENDMENT

Hon. Commissioner of Patents
Washington, D.C. 20231

Sir:

Prior to examination on the merits, please amend the above-identified patent in the manner set forth below.

IN THE SPECIFICATION:

At the top of the first page, just under the title, insert

--This application is the National Phase of International Application PCT/EP00/07380 filed July 31, 2000, which designated the U.S. The PCT application is hereby incorporated in its entirety by reference. --

IN THE CLAIMS:

Please amend the claims as follows:

1. (Amended) A process for insulating electrical components comprising applying a coat of polymerizable casting and impregnating composition and/or lacquer in flowable form to the surface of the components and then curing it using high-energy radiation, wherein the high-energy radiation is near-infrared (NIR) radiation.

BLUM – Filed February 21, 2002

2. (Amended) The process as claimed in claim 1, wherein the NIR radiation has a wavelength of from 500 nm to 1400 nm, preferably from 750 nm to 1100 nm.
3. (Amended) The process as claimed in claim 1, wherein the intensity maximum of the NIR radiation is situated within a wavelength range wherein the casting and impregnating composition of lacquer has an absorbance of between 20 and 80%, preferably between 40 and 70%.
4. (Amended) The process as claimed in claim 1, wherein the NIR radiation is focused so that within the coats to be cured a temperature distribution adapted to the curing characteristics of the coating composition is achieved.
5. (Amended) The process as claimed in claim 1, wherein the coating is additionally cured by means of thermal heating with heated gases, by means of UV light and/or by means of electron beams.
6. (Amended) The process as claimed in claim 1, wherein the components are impregnated at ambient temperature or in a preheated state or are heated during impregnation.
7. (Amended) The process as claimed in claim 6, wherein, following impregnation and before curing, the components are heated to the stage of partial gelling.
8. (Amended) The process as claimed in claim 7, wherein, following partial gelling, the components are treated with NIR radiation and then cured to completion thermally and/or with UV light.
9. (Amended) The process as claimed in claim 1, wherein, prior to, simultaneously with or following thermal curing the components are treated with NIR radiation and with further high-energy radiation, preferably UV radiation.

BLUM – Filed February 21, 2002

10. (Amended) The process as claimed in claim 1, wherein the impregnation of the components takes place by immersion, flooding, vacuum impregnation, vacuum pressure impregnation or trickling.

11. (Amended) The process as claimed in claim 10, wherein electrically conducting windings of the impregnated components are heated in the impregnating composition by applying current to an extent such that the desired amount of impregnation composition is gelled and fixed, in that after this gelling the component is removed from the impregnating composition, ungelled impregnating composition runs off and, if desired, is cooled and recycled, and in that the components are subsequently cured.

12. (Amended) An apparatus for insulating electrical components, comprising a coating means for applying a coat of polymerizable casting and impregnating composition and/or lacquer to the surface of the components and comprising a heating means for heating the components, wherein the heating means comprises at least one near-infrared (NIR) radiation source.

13. (Amended) The apparatus as claimed in claim 12, wherein the heating means comprises and electrical regulator of the NIR radiation sources in order to adjust the wavelength and/or radiative energy acting on the substrates.

14. (Amended) The apparatus as claimed in claim 12, wherein it comprises optical filter means in order to adjust the wavelength and/or radiative energy acting on the substrates.



BLUM – Filed February 21, 2002

REMARKS

After introduction of the amendment set forth above, claims 1-14 will be pending in the application of which claims 1 and 12 are independent. Claims 1-14 have been amended to eliminate multiple dependencies of the claims and employ a more conventional U.S. claim language. Support for the above amendments can be found throughout the original application as filed. Applicants submit that no new matter has been introduced by the amendment.

Respectfully submitted,

PILLSBURY WINTHROP, LLP

By:  48, 115
 Adam R. Hess
Reg. No. 41,835
Tel. No.: (703) 905-2089
Fax No.: (703) 905-2500

ARH/WDW:cdw
1600 Tysons Boulevard
McLean, VA 22102
(703) 905-2000

Enclosure: Appendix

APPENDIX

VERSION WITH MARKINGS SHOWING CHANGES MADE

IN THE CLAIMS:

The claims are amended as follows:

1. (Amended) A process for insulating electrical components [by] comprising applying a coat of polymerizable casting and impregnating composition and/or lacquer in flowable form to the surface of the components and then curing it using high-energy radiation, [characterised in that] wherein the high-energy radiation is near-infrared (NIR) radiation.
2. (Amended) The process as claimed in claim 1, [characterised in that] wherein the NIR radiation has a wavelength of form 500 nm to 1400 nm, preferably from 750 nm to 1100 nm.
3. (Amended) The process as claimed in [either of] claim[s] 1 [or 2], [characterised in that] wherein the intensity maximum of the NIR radiation is situated within a wavelength range wherein the casting and impregnating composition of lacquer has an absorbance of between 20 and 80%, preferably between 40 and 70%.
4. (Amended) The process as claimed in [one of] claim[s] 1 [to 3], [characterised in that] wherein the NIR radiation is focused so that within the coats to be cured a temperature distribution adapted to the curing characteristics of the coating composition is achieved.
5. (Amended) The process as claimed in [one of] claim[s] 1 [to 4], [characterised in that] wherein the coating is additionally cured by means of thermal heating with heated gases, by means of UV light and/or by means of electron beams.
6. (Amended) The process as claimed in [one of] claim[s] 1 [to 5], [characterised in that] wherein the components are impregnated at ambient temperature or in a preheated state

BLUM – Filed February 21, 2002

or are heated during impregnation.

7. (Amended) The process as claimed in claim 6, [characterised in that] wherein, following impregnation and before curing, the components are heated to the stage of partial gelling.

8. (Amended) The process as claimed in claim 7, [characterised in that] wherein, following partial gelling, the components are treated with NIR radiation and then cured to completion thermally and/or with UV light.

9. (Amended) The process as claimed in [one of] claim[s] 1 [to 8], [characterised in that] wherein, prior to, simultaneously with or following thermal curing the components are treated with NIR radiation and with further high-energy radiation, preferably UV radiation.

10. (Amended) The process as claimed in [one of] claim[s] 1 [to 9], [characterised in that] wherein the impregnation of the components takes place by immersion, flooding, vacuum impregnation, vacuum pressure impregnation or trickling.

11. (Amended) The process as claimed in claim 10, [characterised in that] wherein electrically conducting windings of the impregnated components are heated in the impregnating composition by applying current to an extent such that the desired amount of impregnation composition is gelled and fixed, in that after this gelling the component is removed from the impregnating composition, ungelled impregnating composition runs off and, if desired, is cooled and recycled, and in that the components are subsequently cured.

12. (Amended) An apparatus for insulating electrical components, comprising a coating means for applying a coat of polymerizable casting and impregnating composition and/or lacquer to the surface of the components and comprising a heating means for heating the components, [characterised in that] wherein the heating means comprises at least one near-infrared (NIR) radiation source.

BLUM – Filed February 21, 2002

13. (Amended) The apparatus as claimed in claim 12, [characterised in that] wherein the heating means comprises and electrical regulator of the NIR radiation sources in order to adjust the wavelength and/or radiative energy acting on the substrates.

14. (Amended) The apparatus as claimed in [either of] claim[s] 12 [or 13], [characterised in that] wherein it comprises optical filter means in order to adjust the wavelength and/or radiative energy acting on the substrates.

APPLICATION UNDER UNITED STATES PATENT LAWS

Atty. Dkt. No. PW 290585
(M#)

Invention: PROCESS AND APPARATUS FOR INSULATING ELECTRICAL COMPONENTS

Inventor (s): Rainer BLUM
Manfred EICHORST
Günther HEGEMANN
Klaus-Wilhelm LIENERT



00909

Pillsbury Winthrop LLP

This is a:

- ☐ Provisional Application
- ☐ Regular Utility Application
- ☐ Continuing Application
 - ☒ The contents of the parent are incorporated by reference
- ☒ PCT National Phase Application
- ☐ Design Application
- ☐ Reissue Application
- ☐ Plant Application
- ☐ Substitute Specification
 - Sub. Spec Filed _____
 - in App. No. _____ / _____
- ☐ Marked up Specification re
 - Sub. Spec. filed _____
 - In App. No _____ / _____

SPECIFICATION

WO 01/15179

PCT/EP00/07380

Process and apparatus for insulating electrical components

The present invention relates to a process for
5 insulating electrical components by applying a coat of
polymerizable casting and impregnating composition
and/or lacquer in flowable form to the surface of the
components and then curing it using high-energy
10 radiation. The invention further relates to an
apparatus for implementing the said process.

For electrical insulation, mechanical stabilization and
heat distribution in electrical components, so-called
casting and impregnating compositions (CICs) are used
15 in all but a few special cases. These compositions
generally comprise liquid or heat-liquefiable resins
which may be cured (polymerized) by means of heat
and/or UV light.

20 In order to achieve rapid cycle times in the insulation
of components with the said compositions, the processes
becoming established are increasingly those in which
heat is generated very rapidly by applying current to
the windings of the components and the CICs are cured.
25 A problem in this case, however, is that of curing at
areas which are inadequately heated by the heat flux
from the winding and so may be inadequately cured.

For these cases, increasing importance is being
30 attached to processes wherein, in addition to the heat,
UV light is used to cure those areas of the components
which are heated inadequately or too slowly by the heat
flux from the windings. Economic problems result in
this case from the need to modify the CICs chemically
35 to make them UV-sensitive, and from the need to use
expensive photoinitiators as well. Moreover, a
technical problem lies in local UV inhibition by
auxiliaries which are used in the assembly of the

- 2 -

components or present in individual constituent parts (e.g. the insulations of different connecting cables) of the components. As a result of these problems, there may be local instances of tacky surfaces.

5

DE-A-40 22 235 and DD-A-295 056 propose reducing the evaporation losses of customary impregnating compositions containing high fractions of monomers such as styrene by first curing the surfaces with UV rays and then curing the interior of the components by supplying heat.

10

Furthermore, EP-A-0 643 467 discloses using customary impregnating compositions containing high fractions of monomers such as styrene and, in order to improve the distribution of the impregnating composition in the component, carrying out coil heating as early as during impregnation in order to pre-gel and fix the impregnating composition and to obtain thermal curing. Simultaneously with, or else following, the thermal curing on the windings, those areas of the components which have not been reached by the heating of the winding are to be cured with high-energy radiation, preferably UV radiation.

25

DE-A-196 00 149 describes special CICs which are curable without monomers. Curing means cited are heat and/or actinic radiation in the form of UV light.

In DE 196 48 132 A1, DE 196 48 133 A1 and DE 196 48 134 A1, as well, various advantageous combinations of CICs with curing by heat and/or actinic radiation in the form of UV light are described.

35

The object of the present invention was to provide a more cost-effective process for insulating electrical components and, furthermore, one which is not subject

- 3 -

to any inhibition by chemicals originating from the component.

This object is achieved by means of a process for
 5 insulating electrical components by conventionally
 applying a coat of polymerizable casting and
 impregnating composition and/or lacquer in flowable
 form to the surface of the components and then curing
 it with the aid of high-energy radiation. The process
 10 is characterized in that the high-energy radiation
 consists entirely of or comprises fractions of near-
 infrared (NIR) radiation.

The components which may be insulated by the process
 15 include transformers or other components with windings,
 and also conducting wires. Whereas with components of
 relatively complex shape impregnation is necessary for
 complete wetting of the surfaces to be insulated,
 coating is generally sufficient in the case of
 20 electrical conducting wires. In addition to the NIR
 radiation used in accordance with the invention, it is
 also possible to use other common energy sources for
 the curing of the CICs or of the lacquer, e.g. hot
 gases, UV light or electron beams. The action of the
 25 NIR radiation may, accordingly, be limited to initial
 curing of the coating.

By means of the application of NIR radiation it is now
 possible in all cases where UV curing has been used to
 30 date to use conventional, purely thermally curable
 CICs. This signifies a considerable reduction in costs.
 Moreover, there are no UV inhibitions to be concerned
 about, and the substances may be handled under daylight
 without the risk of premature polymerization. Moreover,
 35 a combination of conventional heating, e.g. with
 circulating air, joule heat and IR radiation (with a
 typical wavelength of up to 10^6 nm), with the heating
 of the invention comprising NIR radiation and with

- 4 -

additional curing by UV light may be rational for
specific purposes. The selection of a rational
combination and sequence is possible for the person
skilled in the art in each individual case on the basis
5 of technical and economic considerations.

The advantage of NIR radiation in comparison to medium-
and long-wave IR radiation is that in the context of
the resin compositions to be cured it penetrates
10 directly to the coat thickness customary with
electrical insulating materials, whereas long-wave IR
radiation is absorbed at the surface and heating of the
lower-lying regions is possible only by means of heat
flux, which necessitates long heating times and carries
15 the risk of overheating at the surface.

A further advantage of the process of the invention is
that it may be implemented on existing lines modified
only slightly by the downstream insertion of an NIR
20 lamp. Adaptation of the line is possible essentially
just by altering the control parameters and the process
sequence.

Another key advantage of the invention, in addition to
25 the economic factors associated with the saving in
terms of photoinitiators, the simplified synthesis of
the resins and the shorter cycle time, is the capacity
for very rapid curing even of temperature-sensitive
areas of the components without damage, since the NIR
30 radiation heats the resin coats to high temperatures
very rapidly and curing is at an end before the
underlying areas become too hot.

The NIR radiation used in accordance with the invention
35 has a wavelength of preferably from 500 nm to 1400 nm,
with particular preference from 750 nm to 1100 nm. NIR
radiation within these wavelength ranges can on the one
hand be produced relatively simply and in readily

- 5 -

controllable form and on the other hand covers the optimum range for the curing of the CICs and lacquers.

In order to permit penetration of the NIR radiation
 5 into the resin compositions or lacquer coats, the intensity maximum of the NIR sources is advantageously situated within a wavelength range wherein the casting and impregnating composition or the wire lacquer is in part transparent to NIR light, i.e., its absorbance at
 10 this wavelength is between 20 and 80%, preferably between 40 and 70%.

Furthermore, it is advantageous to focus and direct the NIR radiation using optical devices in such a way that
 15 a temperature distribution adapted to the curing characteristics of the substances is achieved on the components or wires to be cured. The presence of such a distribution may be checked using suitable measuring devices or by means of model calculations.

20 In the context of the process of the invention, the coating may additionally be cured by means of thermal heating with heated gases (circulating air), by means of UV light and/or by means of electron beams. Through
 25 the additional use of NIR radiation it is then possible to control the course of heating more closely.

Components for impregnation are preferably impregnated at ambient temperature or in a preheated state or are
 30 heated during impregnation. This makes the CICs more liquid and so better able to penetrate into confined areas of the components.

Moreover, following impregnation and before curing,
 35 impregnated components are preferably heated to the stage of partial gelling. The amount of gelled impregnating composition may be controlled by the rate, extent and duration of heating. The partial gelling

- 6 -

causes the applied coating compositions to solidify to an extent such that in the course of subsequent processing they do not simply run off from the component to leave unprotected areas. In the case of
5 components with a winding, heating can be effected by the flow of electrical current through the winding.

Following the partial gelling, the components are preferably treated with NIR radiation and then cured to
10 completion thermally and/or with UV light.

Furthermore, prior to, simultaneously with or following thermal curing, the components may be treated with NIR radiation and with further high-energy radiation,
15 preferably UV radiation. The said combinations of NIR radiation with conventional curing methods have an advantageous effect on the curing process and thus on the properties of the resulting insulation.

20 The impregnation of the components may take place by immersion, flooding, vacuum impregnation, vacuum pressure impregnation or trickling.

In the case of components having electrically
25 conducting windings, the windings of the impregnated components are advantageously heated in the impregnating composition by applying current to an extent such that a desired amount of impregnating composition is gelling and fixed, after this gelling
30 component being removed from the impregnating composition, ungelled impregnating composition running off and, if desired, being cooled and recycled, and the components being subsequently cured. The process sequence described has been found to be particularly
35 favorable for components having windings, such as transformers, for example.

CICs suitable for the process are described, for example, in DE-A-195 42 564, DE-A-196 00 149, DE-A-197 57 227 and DE 196 48 133 A1. Unless an additionally UV curing is desired, it is economically and technically sensible to forego the use of photoinitiators.

Substances with which the process of the invention may be implemented are in particular the well-known impregnating compositions based on unsaturated polyester resins which become free-radically copolymerizable by means of preparation with unsaturated monomers as reactive diluents. Judicious polyesters for selection are known to the person skilled in the art, as are imide- or amide-modified polyesters, which have particularly advantageous thermal and mechanical properties. The judicious reactive diluents for selection are also known; they comprise in particular styrene, α -methylstyrene, vinyltoluene, allyl esters, vinyl esters, vinyl ethers and/or (meth)acrylates. These polyester resin preparations may be cured thermally and/or with high-energy radiation, preferably UV light, as desired, with initiators or catalysts or catalyst mixtures which are likewise known to the person skilled in the art.

Further substances with which the process of the invention may be implemented are free-radically polymerizable monomeric, oligomeric and/or polymeric substances which are also radiation-curable, especially UV-light curable. These substances and combinations of substances are also well known to the person skilled in the art. They comprise in particular substances and/or mixtures of substances containing allylic, vinylic or (meth)acrylic unsaturation. Suitable examples include polyepoxy (meth)acrylates, polyurethane (meth)acrylates and/or polyester (meth)acrylates.

The preparations are in some cases thermally polymerizable directly; for optimum thermal curing at ideally low temperatures, however, it is preferred and judicious to add free-radical initiators. In addition,
5 UV initiators are generally added for rapid UV curing. The additional use of stabilizers for improving the storage stability is also known state of the art.

Furthermore, it is also possible to use substances
10 polymerizable ionically; that is, in particular, monomeric and/or oligomeric epoxides in conjunction with thermally and UV-activatable initiators. Substances of this kind are also known state of the art.

15 The process of the invention is particularly advantageous in combination with the monomerlessly curable substances of DE 195 42 564, DE 196 00 149, DE 197 57 227 and DE 196 48 133 A1, since these
20 substances are not readily ignitable on curing. However, curing of customary CICs containing high fractions of monomers such as styrene, acrylates and the like with NIR is also possible and technically implementable if it is ensured - for example, by
25 reducing the power and/or cycling the NIR emitters - that the ignition temperature of the CICs, which is far above the curing temperature, is not exceeded. It is also possible to ensure by means of local supply of inert gas or fresh air that no ignitable or explosive
30 gas mixtures are formed.

The invention additionally provides an apparatus for insulating electrical components, the said apparatus comprising a coating means for applying a coat of
35 polymerizable casting and impregnating composition and/or lacquer to the surface of the components and a heating means for heating the components. The apparatus is characterized in that the heating means comprises at

least one near-infrared (NIR) radiation source. Using the apparatus, therefore, the process of the invention as elucidated above may be implemented, with the explained advantages resulting.

5

Suitable NIR radiation sources are commercially available emitters which emit a high proportion of their radiation within the preferred wavelength range. The emitters concerned are generally halogen lamps with a high coiled-filament temperature (e.g. halogen lamps from USHIO Inc., Tokyo). The advantage of NIR radiation in comparison to medium- and long-wave IR emitters is the ability to control the radiative intensity very rapidly without removing the emission maximum from the region of the NIR wavelength. Moreover, in the resin compositions to be cured, the NIR rays penetrate directly to the customary coat thickness of electrical insulating materials, whereas long-wave IR radiation is absorbed at the surface and the heating of the lower-lying regions is possible only by means of heat flux, which necessitates long heating times and carries the risk of overheating at the surface.

The heating means preferably comprises an electrical regulator of the NIR radiation sources, in order to adjust the wavelength and/or the radiative energy acting on the substrates. Furthermore, the apparatus may include optical filter means in order to adjust the wavelength and/or the radiative energy acting on the substrates.

Examples

In the text below, the invention is illustrated with the aid of experimental examples.

The experiments were conducted in a laboratory unit. The unit has an open-topped vessel which holds the CICs

After cooling, the surface of the component, with the exception of the winding wires, is moderately to highly tacky; on the thermoplastic parts and the connection
35 cables, the resin acts cured little or not at all. The component becomes usable only after subsequent curing in an oven at 130°C for 4 hours, although the winding stack has cured well even before this oven curing. The

oven temperature must not exceed approximately 130°C, so as to avoid deformation of the thermoplastic parts.

Example 3 (E3)

5

The procedure of Example 1 is repeated except that after thermal curing at 180°C in 20 min irradiation is carried out from above and below for 10 min with in each case 2 UV mercury medium-pressure rays having a power consumption of 500 W each for 10 minutes. During this irradiation the heating of the winding is retained; temperatures of 100-140°C are reached on the surface of the component. The component has cured well in the windings and on the stack of sheets; the thermoplastic parts and the connection cables are still slightly tacky and require subsequent curing in an oven at 130°C for about 1 hour in order to detackify them.

20

Example 3 (E3)

The CIC is the same (Dobeckan MF 8001) as in the previous examples, in a special formulation without photoinitiator. The procedure of Example 1 is repeated but the thermal curing with winding heating is reduced to 8 min at 180°C and then irradiation is carried out from above and below with in each case 2 regulated NIR sources having an emission maximum between 750 nm and 1300 nm and a power consumption of in each case approximately 2000 W, for 40 s. The emitters are regulated by way of thyristors which obtain a regulating signal from sensors which measure the surface temperature of the component. The preset switching temperature was 170°C. The winding heating is retained; temperatures of 170-180°C are reached at the surface of the component.

On the surface, including at the connection wires and at the thermoplastic part, the component is completely

- 12 -

tack-free and has cured well in the interior. The thermoplastic parts exhibit no deformation or other damage.

5 Example 4 (E4)

The procedure of Example 3 was repeated except that instead of the NIR emitters long-wave IR emitters having an emission maximum at approximately 7000 nm
 10 (porcelain dark emitters) and an output of likewise 2000 W were mounted. These emitters require a heat-up time of approximately 15 minutes to reach their output. When these emitters were preheated and then positioned over the component, instances of surface carbonization
 15 of the impregnating resins occurred after approximately 20 s without curing of lower-lying areas. When the output of the emitters was reduced by means of a voltage regulator, so that instances of carbonization no longer occurred and surface temperatures of
 20 approximately 200°C were reached, sufficient curing in the lower-lying areas of the impregnating composition was achieved only after approximately 30 minutes.

The examples show the advantages, in accordance with
 25 the invention, of the use of NIR light in the curing of electrical insulating compositions through the savings in terms of photoinitiator, cycle time and energy. NIR radiation permits very rapid curing of the component surface with effective curing even of thick coats, deep
 30 into these coats, using purely thermally curable impregnating compositions. As a result, the known cost-effective, purely thermally curable impregnating compositions can be used for rapid cycle processes without the need to develop, for example, UV-curable
 35 impregnating compositions or to use expensive photoinitiators.

1. A process for insulating electrical components by applying a coat of polymerizable casting and impregnating composition and/or lacquer in flowable form to the surface of the components and then curing it using high-energy radiation, characterized in that the high-energy radiation is near-infrared (NIR) radiation.
2. The process as claimed in claim 1, characterized in that the NIR radiation has a wavelength of from 500 nm to 1400 nm, preferably from 750 nm to 1100 nm.
3. The process as claimed in either of claims 1 or 2, characterized in that the intensity maximum of the NIR radiation is situated within a wavelength range wherein the casting and impregnating composition or lacquer has an absorbance of between 20 and 80%, preferably between 40 and 70%.
4. The process as claimed in one of claims 1 to 3, characterized in that the NIR radiation is focused so that within the coats to be cured a temperature distribution adapted to the curing characteristics of the coating composition is achieved.
5. The process as claimed in one of claims 1 to 4, characterized in that the coating is additionally cured by means of thermal heating with heated gases, by means of UV light and/or by means of electron beams.
6. The process as claimed in one of claims 1 to 5, characterized in that the components are impregnated at ambient temperature or in a preheated state or are heated during impregnation.

- 14 -

7. The process as claimed in claim 6, characterized in that, following impregnation and before curing, the components are heated to the stage of partial gelling.
- 5 8. The process as claimed in claim 7, characterized in that, following partial gelling, the components are treated with NIR radiation and then cured to completion thermally and/or with UV light.
- 10 9. The process as claimed in one of claims 1 to 8, characterized in that, prior to, simultaneously with or following thermal curing the components are treated with NIR radiation and with further
15 high-energy radiation, preferably UV radiation.
10. The process as claimed in one of claims 1 to 9, characterized in that the impregnation of the components takes place by immersion, flooding,
20 vacuum impregnation, vacuum pressure impregnation or trickling.
11. The process as claimed in claim 10, characterized in that electrically conducting windings of the
25 impregnated components are heated in the impregnating composition by applying current to an extent such that a desired amount of impregnating composition is gelled and fixed, in that after this gelling the component is removed from the
30 impregnating composition, ungelled impregnating composition runs off and, if desired, is cooled and recycled, and in that the components are subsequently cured.
- 35 12. An apparatus for insulating electrical components, comprising a coating means for applying a coat of polymerizable casting and impregnating composition and/or lacquer to the surface of the components

and comprising a heating means for heating the components, characterized in that the heating means comprises at least one near-infrared (NIR) radiation source.

5

13. The apparatus as claimed in claim 12, characterized in that the heating means comprises an electrical regulator of the NIR radiation sources in order to adjust the wavelength and/or radiative energy acting on the substrates.

10

14. The apparatus as claimed in either of claims 12 or 13, characterized in that it comprises optical filter means in order to adjust the wavelength and/or radiative energy acting on the substrates.

15

ABSTRACT

The method for hardening electro-insulating materials is characterised by the utilization and/or co-utilization of near-infrared radiation (NIR) having a wavelength of 500 nm to 1400 nm. NIR also enables very fast hardening of the component surface even with pure thermally hardenable impregnating material and further provides good hardening of thick layers located deep inside said layers. Combined hardening, for example, NIR and UV light, is also possible.

5

FOR UTILITY/DESIGN
CIP/PCT NATIONAL/PLANT
ORIGINAL/SUBSTITUTE/SUPPLEMENTAL
DECLARATIONS

RULE 63 (37 C.F.R. 1.63)
DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PW
FORM

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the INVENTION ENTITLED PROCESS AND APPARATUS FOR INSULATING ELECTRICAL COMPONENTS

the specification of which (CHECK applicable BOX(ES))
X A ☐ is attached hereto.
BOX(ES) → B ☒ was filed on February 21, 2002 as U.S. Application No. 10/069,061
→ C ☐ was filed as PCT International Application No. PCT/ / on
and (if applicable to U.S. or PCT application) was amended on

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose all information known to me to be material to patentability as defined in 37 C.F.R. 1.56. Except as noted below, I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International Application which designated at least one other country than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate, or PCT International Application, filed by me or my assignee disclosing the subject matter claimed in this application and having a filing date (1) before that of the application on which priority is claimed, or (2) if no priority claimed, before the filing date of this application:

PRIOR FOREIGN APPLICATION(S)	Date first Laid-open or Published	Date Patented or Granted	Priority NOT Claimed
Number	Country	Day/MONTH/Year Filed	
19939760,0	DE	21/Aug/1999	

If more prior foreign applications, X box at bottom and continue on attached page.

Except as noted below, I hereby claim domestic priority benefit under 35 U.S.C. 119(e) or 120 and/or 365(c) of the indicated United States applications listed below and PCT international applications listed above or below and, if this is a continuation-in-part (CIP) application, insofar as the subject matter disclosed and claimed in this application is in addition to that disclosed in such prior applications, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in 37 C.F.R. 1.56 which became available between the filing date of each such prior application and the national or PCT international filing date of this application:

PRIOR U.S. PROVISIONAL, NONPROVISIONAL AND/OR PCT APPLICATION(S)	Status	Priority NOT Claimed
Application No. (series code/serial no.)	Day/MONTH/Year Filed	pending, abandoned, patented
PCT/EP00/07380	31/July/2000	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

And I hereby appoint Pillsbury Winthrop LLP, Intellectual Property Group, telephone number (703) 905-2000 (to whom all communications are to be directed), and persons of that firm who are associated with USPTO Customer No. 909 (see below label) individually and collectively my attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith and with the resulting patent, and I hereby authorize them to delete from that Customer No. names of persons no longer with their firm, to add new persons of their firm to that Customer No., and to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/ organization who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct the above Firm and/or an attorney of that Firm in writing to the contrary

USE ONLY FOR
PILLSBURY WINTHROP



00909

Date:

12.04.2002

(1) INVENTOR'S SIGNATURE:

Rainer Blum

Name	Rainer	BLUM
First	Middle Initial	Family Name
Residence	Ludwigshafen	Federal Republic of Germany DEX Germany
City	State/Foreign Country	Country of Citizenship
Mailing Address	Rudigerstrasse 64, Ludwigshafen, Federal Republic of Germany	
(include Zip Code)	D67069	

(2) INVENTOR'S SIGNATURE:

Date:

Name	Manfred	EICHHORST
First	Middle Initial	Family Name
Residence	Oststeinbek	Federal Republic of Germany DEX Germany
City	State/Foreign Country	Country of Citizenship
Mailing Address	Am Ohlendiek 18, Oststeinbek, Federal Republic of Germany	
(include Zip Code)	D-22113	

☒ FOR ADDITIONAL INVENTORS see attached page.

☐ See additional foreign priorities on attached page (incorporated herein by reference).

Atty. Dkt. No. P290586

(M#)

FOR UTILITY/DESIGN
CIP/PCT NATIONAL/PLANT
ORIGINAL/SUBSTITUTE/SUPPLEMENTAL
DECLARATIONS

RULE 63 (37 C.F.R. 1.63)
DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PW
FORM

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the INVENTION ENTITLED PROCESS AND APPARATUS FOR INSULATING ELECTRICAL COMPONENTS

the specification of which (CHECK applicable BOX(ES))

X
BOX(ES) → A. ☐ is attached hereto.
→ B. ☒ was filed on February 21, 2002 as U.S. Application No. 10/069,061
→ C. ☐ was filed as PCT International Application No. PCT/ / on
and (if applicable to U.S. or PCT application) was amended on

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above. I acknowledge the duty to disclose all information known to me to be material to patentability as defined in 37 C.F.R. 1.56. Except as noted below, I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International Application which designated at least one other country than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate, or PCT International Application, filed by me or my assignee disclosing the subject matter claimed in this application and having a filing date (1) before that of the application on which priority is claimed, or (2) if no priority claimed, before the filing date of this application

PRIOR FOREIGN APPLICATION(S)

Number	Country	Day/MONTH/Year Filed	Date first Laid-open or Published	Date Patented or Granted	Priority NOT Claimed
19939760,0	DE	21/Aug/1999			

If more prior foreign applications, X box at bottom and continue on attached page.

Except as noted below, I hereby claim domestic priority benefit under 35 U.S.C. 119(e) or 120 and/or 365(c) of the indicated United States applications listed below and PCT international applications listed above or below and, if this is a continuation-in-part (CIP) application, insofar as the subject matter disclosed and claimed in this application is in addition to that disclosed in such prior applications, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in 37 C.F.R. 1.56 which became available between the filing date of each such prior application and the national or PCT international filing date of this application:

PRIOR U.S. PROVISIONAL, NONPROVISIONAL AND/OR PCT APPLICATION(S)

Application No. (series code/serial no.)	Day/MONTH/Year Filed	Status	Priority NOT Claimed
PCT/EP00/07380	31/July/2000	pending, abandoned, patented	

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

And I hereby appoint Pillsbury Winthrop LLP, Intellectual Property Group, telephone number (703) 905-2000 (to whom all communications are to be directed), and persons of that firm who are associated with USPTO Customer No. 909 (see below label) individually and collectively my attorneys to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith and with the resulting patent, and I hereby authorize them to delete from that Customer No. names of persons no longer with their firm, to add new persons of their firm to that Customer No., and to act and rely on instructions from and communicate directly with the person/assignee/attorney/firm/ organization who/which first sends/sent this case to them and by whom/which I hereby declare that I have consented after full disclosure to be represented unless/until I instruct the above Firm and/or an attorney of that Firm in writing to the contrary.

USE ONLY FOR
PILLSBURY WINTHROP



00909

(1) INVENTOR'S SIGNATURE:

Date:

Name	Rainer	BLUM	
First	Middle Initial	Family Name	
Residence	Ludwigshafen	Federal Republic of Germany	Germany
City	State/Foreign Country	Country of Citizenship	
Mailing Address	Rudigerstrasse 64, Ludwigshafen, Federal Republic of Germany		
(include Zip Code)	D67069		

(2) INVENTOR'S SIGNATURE:

Date:

29.04.02

Name	Manfred	EICHHORST	
First	Middle Initial	Family Name	
Residence	Oststeinbek	Federal Republic of Germany	Germany
City	State/Foreign Country	Country of Citizenship	
Mailing Address	Am Ohlendiek 18, Oststeinbek, Federal Republic of Germany		
(include Zip Code)	D-22113		

☒ FOR ADDITIONAL INVENTORS see attached page.

☐ See additional foreign priorities on attached page (incorporated herein by reference).

Atty. Dkt. No. P290586

(M#)

DECLARATION AND POWER OF ATTORNEY

(continued)

ADDITIONAL INVENTORS

(3) INVENTOR'S SIGNATURE:

Date: 26.04.02

Gunther		HEGEMANN	
First	Middle Initial	Family Name	
Residence	Hamburg	Federal Republic of Germany	DEX Germany
City	State/Foreign Country		Country of Citizenship
Post Office Address		Andreasstr. 23, Hamburg, Federal Republic of Germany	
(include Zip Code)	D-22301		

(4) INVENTOR'S SIGNATURE:

Date:

Klaus-Wilhelm		LIENERT	
First	Middle Initial	Family Name	
Residence	Hamburg	Federal Republic of Germany	Germany
City	State/Foreign Country		Country of Citizenship
Post Office Address		Bernadottestr. 54, Hamburg, Federal Republic of Germany	
(include Zip Code)	D-22763		

(5) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

(6) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

(7) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

(8) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

(9) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

DECLARATION AND POWER OF ATTORNEY
(continued)
ADDITIONAL INVENTORS

(3) INVENTOR'S SIGNATURE:

Date:

Gunther		HEGEMANN	
First	Middle Initial	Family Name	
Residence	Hamburg	Federal Republic of Germany	Germany
City	State/Foreign Country		Country of Citizenship
Post Office Address	Andreasstr. 23, Hamburg, Federal Republic of Germany		
(include Zip Code)	D-22301		

(4) INVENTOR'S SIGNATURE:

Date:

40

Klaus Wilhelm		LIENERT	
First	Middle Initial	Family Name	
Residence	Hamburg	Federal Republic of Germany	Germany
City	State/Foreign Country		Country of Citizenship
Post Office Address	Bernadottestr. 54, Hamburg, Federal Republic of Germany		
(include Zip Code)	D-22763		

(5) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

(6) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

(7) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

(8) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			

(9) INVENTOR'S SIGNATURE:

Date:

First	Middle Initial	Family Name	
Residence			
City	State/Foreign Country		Country of Citizenship
Post Office Address			
(include Zip Code)			